

2100 Pennsylvania Avenue, NW
Washington, DC 20037-3213

T 202.293.7060
F 202.293.7860

1010 El Camino Real
Menlo Park, CA 94025-1095

T 650.325.4600
F 650.325.6666

Toei Nishi Shimbashi Bldg. 4F
13-5 Nishi Shimbashi 1-Chome
Minato-Ku, Tokyo 105-0003
Japan

T 03.3503.3760
F 03.3503.3756

www.sughrue.com

 **Sughrue**

SUGHRUE MION, PLLC

J. Frank Osha

T 1-(202)-663-7915
fosha@sughrue.com

January 14, 2002

BOX PATENT APPLICATION
Commissioner for Patents
Washington, D.C. 20231

Re: Application of Toshikazu KITAMURA
METHOD OF MONITORING LIFE-OR-DEATH STATE OF HOST COMPUTER
CONNECTED TO NETWORK AND LIFE-AND-DEATH MONITORING SYSTEM
Assignee: NEC CORPORATION
Our Ref. Q68031

Dear Sir:

Attached hereto is the application identified above comprising 26 sheets of the specification, including the claims and abstract, 5 sheets of formal drawings, executed Assignment and PTO 1595 form, and executed Declaration and Power of Attorney.

The Government filing fee is calculated as follows:

Total claims	17 - 20	=		x	\$18.00	=	\$0.00
Independent claims	3 - 3	=		x	\$84.00	=	\$0.00
Base Fee							\$740.00
TOTAL FILING FEE							\$740.00
Recordation of Assignment							\$40.00
TOTAL FEE							\$780.00

Checks for the statutory filing fee of \$740.00 and Assignment recordation fee of \$40.00 are attached. You are also directed and authorized to charge or credit any difference or overpayment to Deposit Account No. 19-4880. The Commissioner is hereby authorized to charge any fees under 37 C.F.R. §§ 1.16 and 1.17 and any petitions for extension of time under 37 C.F.R. § 1.136 which may be required during the entire pendency of the application to Deposit Account No. 19-4880. A duplicate copy of this transmittal letter is attached.

Priority is claimed from:

<u>Country</u>	<u>Application No</u>	<u>Filing Date</u>
Japan	2001-006773	January 15, 2001

The priority document is enclosed herewith.

Respectfully submitted,
SUGHRUE MION, PLLC

Attorneys for Applicant

By: 

J. Frank Osha

Registration No. 24,625

01/14/02

10043170-011402